



Quality of life since 1825

# Shower faucet Estetic – thermostat

Outlet downward, 160 c-c.

## Product features

SAFE TOUCH



- Safe Touch reduces the heat on the front of the faucet
- Maintains even water temperature
- Available in chrome, matte black and matte white

## Article numbers

Art-no.  
GB41208304

EAN  
7393792230483

## Packaging information

Length: 370 mm | Width: 105 mm | Height: 75 mm  
Weight: 2.25 kg  
Weight: 1 pc

## Assembling & Care

## Energy labeling and certifications




Denna produkt är anpassad till  
Branschregler Säker Vatteninstallation  
2021:1. Leverantören garanterar  
produktens funktion om branschreglerna  
och monteringsanvisningarna följs.




## Technical information

- Max. tap capacity (at 300 kPa): 0,46 l/s
- Pressure loss with flow (0,2 l/s) 57 kPa
- Standard connection dimension: 160 c-c



# Spare parts



ExplodedView Estetic\_thermomixer (Rev 2. 2022-04-20)


No.	Product	Art-no.
1	Handle for quantity and temperature side, Estetic	GB41639390 01
2	Knobs Estetic flow/temp. mat black	GB41639390 53
4	Valve top piece	GB41638529 01
5	Thermostatic cartridge	GB41638334 01
6	Connecting nipple	GB41634757 01
7	Outlet nipple	GB41638339 01
8	Non-return valve with filter	GB41632698 02
9	Filter for non-return valve	GB41635633 02
10	Filter for non-return valve	GB41635633 10
11	Gasket	GB41635641
12	Aerator	GB41637387 01
13	Connecting nipple	GB41636359 01
14	Connecting nipple	GB41639298 01
15	Aerator	GB41639282 01
16	Pull diverter	GB41639328 01
17	Diverter	GB41639500 01



SMARTER  
BATHROOMS

# FLOW CHART

ESTETIC THERMOSTATIC BATHTUB AND SHOWER MIXER



- 1** Max flow (bath- and shower outlet)
- 2** Bathtub outlet
- 3** Shower set GB41103250



A MEMBER OF THE  
VILLEROY & BOCH GROUP

Villeroy & Boch Gustavsberg AB  
Box 400, 134 29 Gustavsberg  
Phone +46 (0)8-570 391 00  
[www.gustavsberg.com](http://www.gustavsberg.com) | [info@gustavsberg.com](mailto:info@gustavsberg.com)