



Quality of life since 1825

# Shower mixer Nordic<sup>3</sup> – thermostat

Outlet downward, 160 c-c.

## Product features

SAFE TOUCH



- Safe Tough reduces the heat on the front of the faucet. Maintains even water temperature upon pressure and temperature changes. Can be expanded with bathtub spout

## Article numbers

Art-no.  
GB41205604

EAN  
7393792229418

## Packaging information

Length: 370 mm | Width: 105 mm | Height: 75 mm  
Weight: 1.89 kg  
Weight: 1 pc

## Assembling & Care

Prior to installation the lines must be flushed up to the faucet. The faucet is connected with the cold water line on the right and the hot water line on the left. Water pressure: max 1000 kPa, min 50kPa. Hot water temperature: max 80°C, min 45°C. Please note that we are not liable for damage resulting from improper installation.



## Energy labeling and certifications

- Complies with Safe Water installation requirements.




## Technical information

- Max. tap capacity (at 300 kPa): 0,46 l/s
- Pressure loss with flow (0,2 l/s) 57 kPa
- Standard connection dimension: 160 c-c



# Spare parts




No.	Product	Art-no.
1	Handle for quantity and temperature side	GB41639080 01
2	Valve top piece	GB41634035 01
3	Outlet nipple	GB41638339 01
4	Non-return valve with filter	GB41632698 02
5	Filter for non-return valve	GB41635633 02
7	Thermostatic cartridge	GB41638334 01
8	Connecting nipple	GB41636359 01
9	Aerator	GB41637387 01
10	Connecting nipple	GB41634757 01
11	Connecting nipple	GB41634756 01
12	Pull diverter	GB41636577 01
13	Connecting nipple	GB41637347
14	Aerator	GB41634555 01
15	Details for swiveling limiter	GB41633972
16	O-ring set for spout	GB41633952 01
17	Aerator	GB41630131 01
24	Diverter	GB41639500 01



SMARTER  
BATHROOMS

# FLOW CHART

## NORDIC<sup>3</sup> THERMOSTATIC SHOWER MIXER



- 1** Max flow (shower outlet)
- 2** Comfort flow
- 3** Shower set GB41103250



A MEMBER OF THE  
VILLEROY & BOCH GROUP

Villeroy & Boch Gustavsberg AB  
Box 400, 134 29 Gustavsberg  
Phone +46 (0)8-570 391 00  
[www.gustavsberg.com](http://www.gustavsberg.com) | [info@gustavsberg.com](mailto:info@gustavsberg.com)