



Quality of life since 1825

Wall-hung toilet Nautic 1522 - with cistern, Hygienic Flush

Dual flush 4/2L, without seat.

Product features



- Low flush button with a neat design
- Space between tank and wall for easier cleaning
- With open, glazed flush edge for simplified cleaning

Article numbers

Art-no.
GB111522201304

EAN
7391530067353



Packaging information

Length: 900 mm | Width: 380 mm | Height: 900 mm

Weight: 34 kg

Weight: 1 pc

Assembling & Care

Mounted with bolts directly on the wall. Washers, bushings and nuts included (M12) but not bolts. Bolt projection from finished wall must be 60 ± 2 mm. Rubber bellows for waste pipe connection included. See supplied installation instructions and mounting kit for each toilet. Triomont fixture for wall hung toilet and bidet RSK 382 57 56, is recommended for installation on weak walls. According to the AMA the seat height should be 450 mm which corresponds to 270 mm distance (centre-centre) between the existing floor and the centre of the drain.


Energy labeling and certifications

- The product follows AMA recommendations, SS-EN 33 dimensioning and SS-EN 997 functionComplies with Safe Water installation requirementsCE approved




Technical information

- CO2 Footprint: 74.33 kg
- Flushing - water quantity: 4/2 Dual flush 4/2 (L)



- Standard connection dimension: c/c 155mm sitsfäste

Spare parts



Toilet Nautic 1522 5522 yr 2017-
(Rev 2. 2022-11-23)

| No. | Product | Art-no. |
|-----|---|----------------|
| 1 | Complete inner tank | GB19299N0100 |
| 2 | Cistern housing | GB185580001200 |
| 3 | Valve housing, flush valve | 9GN00100 |
| 4 | Fill valve | 9GN03200 |
| 5 | Inlet tube | 9GN01000 |
| 6 | Membrane | 9GN00300 |
| 7 | Knapphus high Duo | 9GN00561 |
| 8 | Knapphus high Single | 9GN00661 |
| 9 | Knapphus low Duo | 9GN01161 |
| 10 | Valve housing gasket | 9GN00400 |
| 11 | Cistern fixation kit | 92226100 |
| 13 | seat hinges | 92095761 |
| 14 | Shut-off valve | GB1929900503 |
| 15 | Toilet seat Nautic 9M24 - Standard | 9M246101 |
| 16 | Toilet seat Nautic 9M25 - Rigid fixings | 9M256101 |
| 17a | Toilet seat Nautic - Slim seat | 8M45S101 |
| 17b | Toilet seat Nautic 9M26 - SC/QR | 9M26S101 |
| 17c | Toilet seat Nautic 9M26 - SC/QR | 9M26S136 |
| 18 | Soft Close damper | GB92242400 |
| 19 | Buffer set | 92242001 |