



Quality of life since 1825

Wall-hung toilet Nautic 1522 - with cistern, Hygienic Flush

Dual flush 4/2 L, Soft Close/Quick Release seat
seat, C+

Product features

CERAMICPLUS



- Easy-to-clean and minimalistic design
- With open flush edge for simplified cleaning
- Ceramicplus: for quick and eco-friendly cleaning

Article numbers

Art-no.
GB1115222R1231

EAN
7391530067315

Packaging information

Length: 900 mm | Width: 380 mm | Height: 900 mm

Weight: 36 kg

Weight: 1 pc

Assembling & Care

Floor mounting with glue. The rounded cistern and the small outer dimensions makes it suitable for corner installations. Please refer to the installation manual.


Energy labeling and certifications

- The product follows AMA recommendations, SS-EN 33 dimensioning and SS-EN 997 functionComplies with Safe Water installation requirementsCE approved




Technical information

- CO2 Footprint: 71.49 kg
- Flushing - water quantity: 4/2 Dual flush 4/2 (L)
- Standard connection dimension: c/c 155mm sitsfäste



Spare parts



Toilet Nautic 1522 5522 yr 2017-
(Rev 2. 2022-11-23)

No.	Product	Art-no.
1	Complete inner tank	GB19299N0100
2	Cistern housing	GB185580001200
3	Valve housing, flush valve	9GN00100
4	Fill valve	9GN03200
5	Inlet tube	9GN01000
6	Membrane	9GN00300
7	Knapphus high Duo	9GN00561
8	Knapphus high Single	9GN00661
9	Knapphus low Duo	9GN01161
10	Valve housing gasket	9GN00400
11	Cistern fixation kit	92226100
13	seat hinges	92095761
14	Shut-off valve	GB1929900503
15	Toilet seat Nautic 9M24 - Standard	9M246101
16	Toilet seat Nautic 9M25 - Rigid fixings	9M256101
17a	Toilet seat Nautic - Slim seat	8M45S101
17b	Toilet seat Nautic 9M26 - SC/QR	9M26S101
17c	Toilet seat Nautic 9M26 - SC/QR	9M26S136
18	Soft Close damper	GB92242400
19	Buffer set	92242001
20	Wall mounting kit	GB92207401