



Quality of life since 1825

Toilet Nordic³ 3510 - hidden P-trap

Dual flush 6/3L, without seat

Product features

- Functional design with standard Scandinavian dimensions
- Full-coverage condensation-free flush tank

Article numbers

Art-no.
GB113510301203

EAN
7391530066837

Packaging information

Length: 680 mm | Width: 360 mm | Height: 940 mm
Weight: 28 kg
Weight: 1 pc

Assembling & Care

Screwed to the floor with four screws. Alternative mounting on floor with glue. Caps for screws and white plugs for screw holes for gluing included. The P-trap makes it possible to connect the waste pipe to floor, straight against the wall, or to the side at any angle (must be less than 90 degrees). See included installation guide.


Energy labeling and certifications

- CE approved, SS-EN 33 dimensioning and SS-EN 997 function




Technical information

- Flushing - water quantity: 3/6 L Dobbeltskyl
- Standard connection dimension: c/c 155mm sitsfäste



Spare parts



Toilet Nordic3 yr 2017-
(Rev 3. 2024-12-02)


No.	Product	Art-no.
1a	Membrane	9GS01400
1b	Membrane	9GN00300
2	Inlet valve	9GN00210
3	Cistern housing	GB184700001200
4a	Outlet valve with push button	GB19299S3953
4b	Flush button Duo, chrome	GB19299S3951
6	Valve housing gasket	9GS01700
7b	Mounting kit	GB19299P0204
8	Shut-off valve	GB1929900503
9a	Toilet seat Nordic ³ 9M64 - Standard	9M646101
9b	Toilet seat Nordic ³ 8780 - rigid fixings	8780G101
9c	Toilet seat Nordic ³ - SC/QR	8780S101
9d	Stainless steel fixings for 8780G101, pair	92241961
9e	Seat hinges	GB92211761
9f	Damper for 8780S101	92242400
9g	Buffer set	GB92242101
10	Plug bag, complete	GB19299P0207
11	Screw bag	GB1929900365
21	Soft Close damper	GB92242400



SMARTER
BATHROOMS

FLOW CHART

FILL VALVE - 9GS01300



A MEMBER OF THE
VILLEROY & BOCH GROUP

Villeroy & Boch Gustavsberg AB
Box 400, 134 29 Gustavsberg
Phone +46 (0)8-570 391 00
www.gustavsberg.com | info@gustavsberg.com