



Livskvalitet siden 1825

Kjøkkenkran Nye Nautic Care – lav tut

Blyfri – med forlenget tut, avstengning for oppvaskmaskin,

Produktets funksjoner

ECO-FLOW



COLD-START



ECO-STOP



HURTIG-MONTERING



BLYFRITT



- Inneholder mindre enn 0,1% bly
- Energiklasse B
- Funksjonstilpasset spak i kontrastfarge

Artikkelnummer

Art.nr.
GB41206095064

EAN
7393792235334

Informasjon om pakking

Lengde: 290 mm | Bredde: 290 mm | Høyde: 75 mm

Vekt: 2.98 kg

Antall i pakken: 1 st

Montering og vedlikehold

Før installasjonen må ledningene rengjøres. Kran er koblet til kaldvannsledningen til høyre og varmtvannsledningen til venstre. Vanntrykk: maks 1000 kPa, min 50 kPa. Varmtavnstemperaturen maks: 70 C, min 45 C. Vi er ikke ansvarlig for feil som står ved feil installasjon.

Energimerking og sertifiseringer





Denna produkt är anpassad till
Branschregler Saker Vatteninstallation
2021:1. Leverantören garanterar
produktens funktion om branschreglerna
och monteringsanvisningarna följs.



Teknisk informasjon

- Max. tap capacity (at 300 kPa): 0,117 l/s
- Tilkoblingsdimensjon: 10mm






ExplodedView Nautic 2_kitchen_Low_swirling
(Rev 2. 2022-04-11)

Nr.	Produkt	Art.nr.
1	Monteringssett	GB41650252 01
2	Dekktrekk	GB41650253 01
3	Mutter	GB41639591 01
4	Keramikkpakke	GB41637393
5	Keramikkpatron	GB41639567 01
6	Lufter M24x1	GB41639200 01
7	Lufter M24x1	GB41639757 01
8	Lufter M24x1	GB41639972 01
9	X-ring, lagerringsett	GB41639970 01
10	Dreiebegrensersett	GB41639589 01
11	SoftPex-slange	GB41639279 02
12	SoftPex-slange	GB41638721 02
13	SPX-slange 440 mm	GB4165030601
14	Monteringssett kjøkken	GB41639939 01
15	SoftPex-slange	GB41638701 01
16	Oppvaskmaskin, avstengning	GB41639547 01
17	Nautic-spak, Care	GB41639801 01
18	SPX-slange-460 mm	GB4165011801

GUSTAVSBERG/

FLOW CHART/

Kitchen mixer low spout, Energy class B New Nautic



- 1. Max flow
- 2. Dishwasher shut off

1. Max flow

- Flowrate at 300 kPa:	0,117 l/s
- Pressure at flow 0,1 l/s:	163 kPa
- Pressure at flow 0,2 l/s:	N/A
- Pressure at flow 0,33 l/s:	N/A

Rev, 1, 2021-04-13 Gustavsberg Labb

Villeroy & Boch Gustavsberg AB / Box 400, 134 29 Gustavsberg / Phone +46 (0)8-570 391 00 / www.gustavsberg.com / info@gustavsberg.com