




Quality of life since 1825



## Produkta īpašības

SMART INSIDE

SAFE TOUCH



- Safe Touch, minimizes the heat on the front of the mixer
- Even water temperature during pressure and temperature changes
- Roof shower Square included

## Article number

Art.nr.  
GB41201335

EAN  
7391530082806

## Pakuotēs informācija

Garums: 745 mm | Platums: 368 mm | Augstums: 94 mm

Svoris: 4.91 kg

Pakuotēs numeris: 1 pc

## Montāža un kopšana

## Enerģijas marķējums un sertifikāti



CERTIFIERING  
KONTROLL




Denna produkt är anpassad till  
Branschregler Säker Vatteninstallation  
2021:1. Leverantören garanterar  
produktens funktion om branschreglerna  
och monteringsanvisningarna följs.



## Techninė informacija

- Max. tap capacity (at 300 kPa): 0,425 l/s
- Pressure loss with flow (0,33 l/s) 181 kPa
- Standarta savienojuma dimensija: 160 c-c




| Nr. | Produkta                       | Art.nr.       |
|-----|--------------------------------|---------------|
| 1   | Rokturis Atlantic apjomam      | GB4165022501  |
| 3   | Plūsmas regulators New Nautic  | GB41650292001 |
| 4   |                                | GB41638334 01 |
| 5   | Rokturis Atlantic temperatūrai | GB4165022701  |
| 7   | Nipelis New Nautic             | GB4165020401  |
| 8   |                                | GB41634719 01 |
| 9   | Nipelis New Nautic             | GB4165020601  |
| 10  |                                | GB41632698 02 |
| 11  | Starplika New Nautic           | GB41650355    |
| 12  |                                | GB41635633 02 |
| 13  |                                | GB41635633 10 |
| 14  |                                | GB41638542 01 |
| 15  |                                | GB41636822 01 |
| 16  |                                | GB41634555 01 |
| 17  |                                | GB41636577 01 |
| 18  |                                | GB41630131 01 |
| 19  | Grozāms snīpis 85 mm           | GB41650279    |
| 20  | Grozāms snīpis 150 mm          | GB41650282    |
| 21  | Grozāms snīpis 250 mm          | GB41650285    |
| 22  | Grozāms snīpis 350 mm          | GB41650288    |
| 23  |                                | GB41633972    |
| 26  | Laika atskaites vārsts         | GB41639716    |
| 27  | Plaukts                        | GB41650052    |
| 28  | Plaukts                        | GB4165005253  |
| 31  | Plūsmas sadalītājs New Nautic  | GB4165021301  |

# GUSTAVSBERG/

## FLOW CHART/

Thermostatic Mixers, Shower Columns, Spout 350 mm



- 1. Max flow (bath- and shower outlet)
- 2. Head shower GB41103230, GB41103235
- 3. Hand shower GB41103230, GB41103235
- 4. Spout GB41650288 (350 mm)

### 1. Max flow (bath- and shower outlet)

|                              |           |
|------------------------------|-----------|
| - Flow rate at 300 kPa:      | 0,465 l/s |
| - Pressure at flow 0,1 l/s:  | 14 kPa    |
| - Pressure at flow 0,2 l/s:  | 56 kPa    |
| - Pressure at flow 0,33 l/s: | 151 kPa   |

### 2. Head shower GB41103230, GB41103235

|                              |           |
|------------------------------|-----------|
| - Flow rate at 300 kPa:      | 0,425 l/s |
| - Pressure at flow 0,1 l/s:  | 17 kPa    |
| - Pressure at flow 0,2 l/s:  | 66 kPa    |
| - Pressure at flow 0,33 l/s: | 181 kPa   |

### 3. Hand shower GB41103230, GB41103235

|                              |           |
|------------------------------|-----------|
| - Flow rate at 300 kPa:      | 0,175 l/s |
| - Pressure at flow 0,1 l/s:  | 98 kPa    |
| - Pressure at flow 0,2 l/s:  | 392 kPa   |
| - Pressure at flow 0,33 l/s: | N/A       |

### 4. Spout GB41650288 (350 mm)

|                              |           |
|------------------------------|-----------|
| - Flow rate at 300 kPa:      | 0,273 l/s |
| - Pressure at flow 0,1 l/s:  | 40 kPa    |
| - Pressure at flow 0,2 l/s:  | 161 kPa   |
| - Pressure at flow 0,33 l/s: | 437 kPa   |

Rev, 1, 2022-12-28 Gustavsberg Labb

Villeroy & Boch Gustavsberg AB / Box 400, 134 29 Gustavsberg / Phone +46 (0)8-570 391 00 / [www.gustavsberg.com](http://www.gustavsberg.com) / [info@gustavsberg.com](mailto:info@gustavsberg.com)