



Quality of life since 1825

# Wall-hung toilet Nautic 1522 – with cistern, Hygienic Flush

With hard seat and wing nut hinges, white, Hygienic Flush.

## Product features



- External full-coverage, condensation-free cistern
- Raised ergonomic button for easier flushing
- Load tested to 400 kg

## Article numbers

Art-no.  
GB111522401225

EAN  
7391530087047


## Packaging information

Length: 680 mm | Width: 358 mm | Height: 1010 mm  
Weight: 34.5 kg  
Weight: 1 pc

## Assembling & Care

Mounted with bolts directly on the wall. Washers, bushings and nuts included (M12) but not bolts. Bolt projection from finished wall must be  $60 \pm 2$  mm. Rubber bellows for waste pipe connection included. See supplied installation instructions and mounting kit for each toilet. Triomont fixture for wall hung toilet and bidet RSK 382 57 56, is recommended for installation on weak walls. Clean the porcelain often to prevent dirt and limescale deposits forming. If your regular detergent does not give the desired result, try citric acid or tartaric acid. Wipe/rub the damp surface dry and rinse thoroughly. Remove limescale deposits with household vinegar. Abrasive cleaning agents must not be used. Never use abrasive detergents. They damage the glaze over time. And never use strongly alkaline, lye-based blockage removers that can damage the porcelain surface and harm the environment. For WC bowls stored in unheated areas, the cistern should be emptied and wiped dry. Pour about 4 dl of antifreeze in the water trap. Use an environmentally-friendly product.

## Energy labeling and certifications




## Technical information

---

- CO2 Footprint: 71.49 kg
- Flushing - water quantity: 4 Single flush 4 (L)

## Spare parts



Toilet Nautic 1522 5522 yr 2017-  
(Rev 2. 2022-11-23)

No.	Product	Art-no.
1	Complete inner tank	GB19299N0100
2	Cistern housing	GB185580001200
3	Valve housing, flush valve	9GN00100
4	Fill valve	9GN03200
5	Inlet tube	9GN01000
6	Membrane	9GN00300
7	Knapphus high Duo	9GN00561
8	Knapphus high Single	9GN00661
9	Knapphus low Duo	9GN01161
10	Valve housing gasket	9GN00400
11	Cistern fixation kit	92226100
13	Seat hinges	92095761
14	Shut-off valve	GB1929900503
15	Toilet seat Nautic 9M24 - Standard	9M246101
16	Toilet seat Nautic 9M25 - Rigid fixings	9M256101
17a	Toilet seat Nautic 8M45 - SC/QR	8M45S101
17b	Toilet seat Nautic 9M26 - SC/QR	9M26S101
17c	Toilet seat Nautic 9M26 - SC/QR	9M26S136
18	Soft Close damper	92242400
19	Buffer set	92242001
20	Wall-mounting kit	92207401